

PATENT

Express Mail No. EL121595872US

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

INVENTORS: Swarup Acharya, Henry F. Korth and Viswanath Poosala  
APPLICATION NO. Not Yet Assigned  
FILED: Herewith  
CASE: Acharya 3-6-8  
TITLE: COMPUTER IMPLEMENTED METHOD AND APPARATUS FOR PROVIDING A LOGICAL POINT OF ACCESS TO ONE OR MORE FILES

CERTIFICATE OF EXPRESS MAILING

I hereby certify that this correspondence, along with any papers indicated as being enclosed, is being deposited as Express Mail (Label No. EL121595872US) in an envelope addressed to: Box Patent Application, The Assistant Commissioner for Patents, Washington, D.C. 20231, on June 9, 1999.

Date

6/9/99

Ethan Tripp

Ethan Tripp

BOX PATENT APPLICATION  
Assistant Commissioner for Patents  
Washington, DC 20231

NEW APPLICATION TRANSMITTAL LETTER

Sir:

Enclosed are the following papers relating to the above-named new application for patent:

1. Specification (21 pgs., including claims and abstract);
2. Informal Drawings (3 sheets);
3. Declaration and Power of Attorney (4 pgs.);
4. Assignment (3 pgs.); and
5. Assignment Cover Sheet (1 pg.).

CLAIMS AS FILED				
	No. Filed	No. Extra	Rate	Calculations
Total Claims	32 - 20 =	12	\$18	\$216.00
Independent Claims	6 - 3 =	3	\$78	\$234.00
Multiple Dependent Claim(s), if applicable			\$260 =	\$0.00
Basic Filing Fee				\$760.00
			Total Fee:	\$1,210.00

Please file the application and charge **Lucent Technologies' Deposit Account No. 12-2325** the amount of \$1,210.00 to cover the filing fee. Two copies of this letter are enclosed. In the event of non-payment or improper payment of a required fee, the Commissioner is authorized to charge or to credit **Deposit Account No. 12-2325** as required to correct the error.

Please address all correspondence to:

**Gregory S. Bernabeo**  
**Synnestvedt & Lechner LLP**  
**2600 Aramark Tower**  
**1101 Market Street**  
**Philadelphia, PA 19107-2950**

Telephone calls should be directed to the undersigned at (215) 923-4466.

Respectfully submitted,

Date June 9, 1999

Gregory S. Bernabeo  
 Gregory S. Bernabeo  
 Registration No. 44,032

Attorney for Applicants  
 Lucent Technologies Inc.  
 600 Mountain Avenue  
 P.O. Box 636  
 Murray Hill, New Jersey 07974-0636

Acharya 3-6-8

- 1 -

Patent

COMPUTER IMPLEMENTED METHOD  
AND APPARATUS FOR PROVIDING A  
LOGICAL POINT OF ACCESS TO ONE OR MORE FILES

RELATED APPLICATION

This application claims the benefit of U.S. Provisional  
Application No. 60/098,678, filed September 1, 1998.

FIELD OF THE INVENTION

This invention relates to communications networks,  
generally, and more particularly to a method of communication  
within such communications networks and apparatuses for  
practicing the inventive method.

BACKGROUND OF THE INVENTION

The World Wide Web ("Web") is essentially a distributed  
depository of data files stored on Web servers connected by a  
global communications network known as the Internet. Users of  
the Web may request transmission of files to their own  
computers, i.e., client computer, for viewing, storing or  
printing. Each server computer stores files identified by a  
universal resource locator (URL) comprising an electronic  
address. Each URL is a physical reference in that each URL  
points to a particular server and identifies the location of a  
single file at that server. Many of the files stored on  
servers are documents written in a standard programming  
language known as hypertext mark-up language (HTML). HTML

files are translated for viewing, printing or storing by a Web browser computer program running on the Web clients. The Web browser also communicates with Web servers. Using HTML, an author of such a Web page (a file written in HTML) can designate a specific word, phrase or image in the Web page as a hyperlink. Each hyperlink may be associated with a URL of another file stored on the Web. A user's selection of a hyperlink is an initiation of a request for the file located at the electronic address identified by the URL with which the hyperlink is associated. Since each traditional hyperlink is associated with a single URL, each hyperlink is associated with a single file having a particular location on a particular server.

A request for transmission of a file originates at the Web client and is submitted to a server computer by the Web browser software running on the client computer. In a typical arrangement, the request is then forwarded to a proxy computer interconnecting the client computer and the server computer. Upon a user's selection of a hyperlink, the client's Web browser issues a hypertext transfer protocol (HTTP) request to the server identified by the URL associated with the hyperlink. The request is intercepted by a proxy which then relays the request over the Internet to the identified server. The server responds by transmitting the requested file to the proxy, assuming that the requested file resides on the server at the electronic address identified in the URL. The proxy then relays the requested file to the client.

The standard HTML syntax of Web pages and the standard HTTP communications protocol supported by the Web guarantee that a Web client and Web browser can communicate with any Web server. The JAVA programming language and JAVA applets allow for platform independent application programs which can be executed by any Web client.

Many files on Web servers may be considered to be related. For example, due to the vastly heterogenous resources of Web clients and Web servers, there are a number of files which are related in that they contain the same or similar content, but are unique in that they have differing formats, e.g., postscript, ADOBE®, ACROBAT®, JPEG, GIF, TIFF, etc. to accommodate the capabilities of these vastly heterogenous client computers. Other files which do not have similar content also may be considered related. For example, a list of documents published by a single author, a grouping of a person's favorite Web sites, etc. Under the existing URL system, each file is presented with its own hyperlink. We have discovered that it would be advantageous to provide access to a group of related files through a single, logical access point, e.g., a hyperlink.

#### SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide a method for satisfying a request for information by permitting access to a plurality of files upon selection of a single, logical access point. It is another object of the present invention to provide such a method which is compatible

with existing communications protocols and Web browsers. It is yet another object of the present invention to provide apparatuses for carrying out the inventive method.

These and other objects are realized by the provision of a method for communicating files over a communications network in which links to files, such as hyperlinks, comprise a new construct herein termed a multilink. A multilink is a hyperlink associated with a plurality of electronic addresses (e.g., URLs) rather than a single electronic address. The addresses are concatenated within a single multilink URL associated with the multilink. The selection of a multilink results in execution of a program that parses the multilink URL, identifies the electronic addresses associated with the multilink and generates a menu showing all of the different hyperlinks accessible via the multilink. The user then selects one particular hyperlink from the displayed menu. The URL to the file associated with the selected hyperlink is then used to request the file from the appropriate server and the desired file is returned.

#### DESCRIPTION OF THE DRAWINGS

Figure 1 is a symbolic diagram of a simplified World Wide Web topology as known in the prior art.

Figure 2a is an image of an example of a Web page which shows hyperlinks in accordance with the prior art.

Figure 2b is an image of an example of a Web page which shows a multilink and a menu in accordance with the present invention.

Figure 3 is an image of an example of a Web page showing a default Web page in accordance with the present invention.

Figure 4 is a symbolic diagram illustrating communication in accordance with the present invention using a multilink.

#### DETAILED DESCRIPTION

Figure 1 is a symbolic diagram of a simplified Web topology as is known in the prior art. In the example of Figure 1, the Web client 6 is the user's computer. The client 6 may connect to an Internet Service Provider (not shown) over a communications line 10, using a modem in the client. The Internet Service Provider typically controls the proxy 16 which has a dedicated connection over a transmission link 20 to the Internet 36, a sub-network of switching nodes and transmission links. A Web server 36 is connected to the Internet 36 by a transmission link 30. In actuality, the Web's topology is much more complex with numerous servers, clients, proxies, transmission links, etc.

Using Web browser software running on the client computer, the user requests an image, document, multimedia or other data file (herein referred to collectively as "file") by selecting a hyperlink. Upon selection of a hyperlink, the user's client computer submits a request to a server computer identified in the URL associated with the selected hyperlink. In a typical Web topology, the URL is transmitted to the proxy over link 10 using the GET URL HTTP request, which then forwards it over transmission link 20 to the server 36 via the Internet 26 and transmission link 30. The server 36 responds

to the request by transmitting the file identified in the URL via the Internet 26 to the proxy 16 which then forwards the file to the client for viewing, storing or printing.

5 The present invention provides a method and apparatus for satisfying a request for transmission of a file, the request initiating with a user's selection of a logical point of access to one or more files, the logical request being later paired with an electronic address at which the requested file may be located. The present invention is discussed in relation to what is referred to herein as a "multilink".

10 A multilink, as referred to herein, is a particular type of hyperlink which provides a single logical point of access to multiple files. As discussed above, a traditional hyperlink is established by HTML programming associating the  
15 hyperlink with a single electronic address identifying a single file on a particular server. Rather, the multilink is a logical point of access to a plurality of files which are associated with the multilink (U.S. Patent Application No. \_\_\_\_\_, attorney docket number P22371-A USA/Acharya 2-5-7),  
20 filed concurrently herewith, now U.S. Patent No. \_\_\_\_\_ describes alternate methods and apparatuses of providing a logical access point to information content which may be embodied in a plurality of versions of files having different format or levels of resolution.) A multilink in accordance  
25 with the present invention appears in the Web browser much like a traditional hyperlink, but differs from the traditional hyperlink in that a user's selection of the multilink results in generation and display of a menu of a plurality of user-



selectable options. Preferably each option is a hyperlink. Each hyperlink displayed in the menu could be a traditional hyperlink, another multilink, or an indirect link (U.S. Patent Application No. \_\_\_\_\_ (attorney docket number P22653-B USA/Acharya 5-8-10), filed concurrently herewith, now U.S. Patent No. \_\_\_\_\_), describes a method and apparatus for providing such indirect links). A multilink is a logical point of access in that it is not directly related to a particular physical reference. Rather, it is a logical reference to a plurality of files. In the HTML context, a multilink may be associated with a multilink URL ("MURL") where the MURL comprises a plurality of electronic addresses. In the preferred embodiment, each electronic address is associated with a description, in the form of a hyperlink, identifying the file found at the corresponding electronic address. The description is displayed in a menu generated and displayed when the multilink is selected.

In accordance with the present invention, a menu-generation computer program is executed upon a user's selection of a multilink. The computer program parses the MURL associated with the multilink and presents a menu. The computer program preferably is written in a platform independent computer programming language that is compatible with standard Web browsers. In the preferred embodiment, the computer program is written in the Javascript programming language. The computer program may be executed at any suitable location, i.e., client, proxy, or server. However, it is preferable that the menu generation computer program be

transmitted to and executed at the client computer. The computer program may be transmitted to the client computer in a number of ways. In one embodiment, a reference to the menu generation computer program is embedded or appended by the proxy computer. In the preferred embodiment, the proxy computer embeds or appends a reference only in pages containing a multilink. In the most preferred embodiments a reference to the computer program is embedded in each Web page (parent file) containing a multilink. In such an embodiment, the client computer automatically requests the computer program upon loading the Web page. Alternatively, the entire program could be appended to the parent file before transferring the parent file to the client computer. Either the proxy computer or the server computer could perform the embedding or appending steps.

While adoption of such a distribution scheme for the computer program would be sufficient to ensure operability of the multilinks if all proxies were to use the distribution scheme, in the preferred embodiment, a backup system is employed. In such a system, a traditional URL leading to a file containing the menu generation program is included in the parent file. For instance, the MURL associated with the multilink preferably may further comprise a default electronic address to a default Web page containing only the menu generation computer program. Accordingly, in the event that the computer program is not transmitted or otherwise accessible to the client, traditional processing of the MURL

will cause the default Web page to be loaded, at which time the computer program will be executed.

By way of example, a traditional URL typically has a format as follows:

http://<server\_address>/<filename.ext>

In the example of Figure 2A, the traditional URL <http://www.lucent.com/research/1998/articles.htm> is an electronic address identifying the file named articles.htm in the research/1998 subdirectory on the www.lucent.com server. Note that four hyperlinks are shown beneath the each article title for requesting the article in letter or A4 format, and with or without figures.

In contrast, the general format of a MURL in accordance with a preferred embodiment of the present invention has the form:

http://<server\_address>/<multilink\_default.html>  
?mlink=:<des<sub>1</sub>=URL<sub>1</sub>>,<des<sub>2</sub>=URL<sub>2</sub>>,...,<des<sub>N</sub>=URL<sub>N</sub>>

where des<sub>i</sub> is the description string for the i'th hyperlink and URL<sub>i</sub> is the electronic address of the i'th hyperlink. Each URL<sub>i</sub> may be a traditional URL, a MURL or a logical reference of the type referred to above as an indirect link.

Figure 2B illustrates an exemplary Web page employing a multilink in accordance with the present invention. Note that only a single hyperlink (a multilink) appears for the article titled "NetBlitz: A Novel Solution to the 'World Wide Wait'" the multilink reading "Multi-link for this paper". The format of the multilink URL for this article could have the format:

http://www.lucent.com/research/1998/default.htm?  
mlink::letter+figures=http://www.lucent.com/research/  
1998/letfig.htm,letter-figures=http://www.lucent.com/  
research/1998/research/letnofig.htm,A4+figures=http://  
www.lucent.com/research/1998/A4fig.htm,A4-figures=  
http://www.lucent.com/research/1998/A4nofig.htm.

Accordingly, upon a user's selection of the NetBlitz  
multilink, the menu generation computer program that had been  
previously transmitted from the proxy computer to the client  
computer along with the NetBlitz Publications Web page  
containing the multilink would be executed to generate the  
menu of hyperlinks to the article. As noted above, in  
alternate embodiments, in which the menu generation program is  
not appended or a reference to the menu generation program is  
not embedded within pages having multilinks, selection of the  
multilink may instead lead to a default page (i.e., file),  
such as shown in Figure 3, containing the menu generation  
program. Specifically, regardless of whether the menu  
generation program is executed at the client computer or at  
the server computer containing the default menu generation  
page, the menu generation program parses the various  
individual URLs in the MURL and displays a menu of the  
options. Figure 2B shows the menu that might be generated in  
an embodiment in which a reference to the menu generation  
program is embedded in the page containing the multilink.  
Note that it preferably appears as a pop-up menu. In an  
alternate embodiment, in which the menu generation program is  
at a separate page, a Web page is displayed containing  
hyperlinks to the article in (1) letter with figures, (2)  
letter without figures, (3) A4 with figures, and (4) A4

without figures formats. The content of the default page in Figure 3 is the same as the menu in Figure 2B. This is also the default page located at <http://www.lucent.com/research/1998/default.htm> as identified in the MURL.

Figure 4 is a flowchart demonstrating communications over a communications network using multilinks in accordance with a preferred embodiment of the present invention. A server computer first transmits a Web page containing a multilink to a proxy computer responsive to a client computer's request for the Web page as shown at 50. The proxy computer then transmits the Web page to the client computer along with a menu generation program which it appends to the Web page as shown in step 60. After the Web page is displayed at the user's client computer, the user selects a hyperlink as shown in step 70. In step 75, it is determined if the hyperlink is a multilink. If so, in step 80, the menu generation program is run to parse the MURL associated with the hyperlink and display a menu of hyperlinks, each hyperlink being a user-selectable option. The user then repeats step 70 by selecting a hyperlink from the menu. Since, as noted above, a hyperlink in the menu may be another multilink or an indirect link, this process is repeated until the user selects a hyperlink associated with a traditional URL, at which time flow proceeds to step 90, in which the client computer requests the file associated with the hyperlink as identified by the file's URL 90. If the first selected hyperlink was not a multilink, as determined in step 75, flow proceeds directly to step 90, in

which the client computer requests the file associated with the hyperlink as identified by the file's URL. In step 100, the server computer then transmits the requested file to the client computer in the usual fashion. In step 110, the client computer receives the requested file which is displayed by the Web client's browser.

It should also be noted that, although a logical reference in the form of a multilink URL is most useful in association with a hyperlink, a multilink URL logical reference may be advantageously used independently of a corresponding hyperlink, e.g., for images or other files, embedded in a Web page. For example, a file identified by a multilink URL logical reference which is embedded in a Web page is automatically requested by the client computer's Web browser in the process of loading the Web page for display at the client computer.

Having thus described a few particular embodiments of the invention, various alterations, modifications, and improvements will readily occur to those skilled in the art. Such alterations, modifications and improvements as are made obvious by this disclosure are intended to be part of this description though not expressly stated herein, and are intended to be within the spirit and scope of the invention. Accordingly, the foregoing description is by way of example only, and not limiting. The invention is limited only as defined in the following claims and equivalents thereto.

What is claimed is:

1. A method of operation of a client computer comprising the steps of:

- (a) generating a menu of options, at the client computer, in response to a user's selection of a multilink to a plurality of files;
- (b) transmitting, from the client computer, a request for a user-selected file associated with a user-selected option.

2. The method of claim 1, wherein each of the plurality of files has a unique electronic address and each of the options are associated with at least one of the plurality of files.

3. The method of claim 2, further comprising the step of:

- (c) selecting, at the client computer, the user-selected option from the menu of options, the user-selected option being associated with the user-selected file, step (c) being performed intermediate steps (a) and (b).

4. The method of claim 3, wherein the request transmitted in step (b) identifies the unique electronic address of the user-selected file.

5. The method of claim 4, wherein the multilink is associated with a multilink URL comprising a plurality of electronic addresses.

6. The method of claim 5, wherein the menu of options is generated by parsing the plurality of electronic addresses to identify each electronic address and presenting an option in the menu of options for each of the electronic addresses.

7. The method of claim 6, wherein the menu of options is generated in step (a) by a computer program for parsing the multilink URL to identify the plurality of electronic addresses and generating the menu of options.

8. The method of claim 7, wherein the computer program is written in the Javascript programming language.

9. The method of claim 8 wherein the plurality of electronic addresses further comprises an electronic address of a default file containing the computer program.

10. The method of claim 9, further comprising the step of:

- (d) receiving, at the client computer, the computer program, step (d) being performed before step (a).



11. The method of claim 10 wherein a proxy computer for relaying a communication between a client computer and a server computer interconnects the client computer to the server computer and wherein the proxy computer appends the computer program to every file transmitted from the proxy computer, the method further comprising the step of:

- (e) transmitting, from the proxy computer to the client computer, a file containing a multilink URL, the file having the computer program appended thereto, step (e) being performed before step (d).

12. The method of claim 10 wherein a proxy computer for relaying a communication between a client computer and a server computer interconnects the client computer to the server computer and wherein the proxy computer appends the computer program to every file containing a multilink URL which is transmitted from the proxy computer, the method further comprising the step of:

- (e) transmitting, from the proxy computer to the client computer, a file containing a multilink URL, the file having the computer program appended thereto, step (e) being performed before step (d).

13. The method of claim 10 wherein a proxy computer for relaying a communication between a client computer and a server computer interconnects the client computer to the

server computer and wherein the proxy computer embeds a reference to the computer program in every file transmitted from the proxy computer, the method further comprising the steps of:

- 5 (e) transmitting, from the proxy computer to the client computer, a file containing a multilink URL, the file having the reference to the computer program embedded therein, step (e) being performed before step (d); and
- (f) transmitting, from the client computer, a request for transmission of the computer program to the client computer, step (f) being performed intermediate steps (e) and (d).

14. The method of claim 10 wherein a proxy computer for relaying a communication between a client computer and a server computer interconnects the client computer to the server computer and wherein the proxy computer embeds a reference to the computer program in every file containing a multilink URL which is transmitted from the proxy computer, the method further comprising the steps of:

- 20 (e) transmitting, from the proxy computer to the client computer, a file containing a multilink URL, the file having the reference to the computer program embedded therein, step (e) being performed before step (d); and
- 25 (f) transmitting, from the client computer, a request for transmission of the computer

program to the client computer, step (f) being performed intermediate steps (e) and (d).

15. The method of claim 1, wherein the menu of options comprises hyperlinks associated with URLs.

16. The method of claim 15, wherein at least one of the hyperlinks is a multilink.

17. A servicing computer for servicing a request for a file initiated by a client computer connected to the servicing computer by a communications network, the servicing computer comprising:

a memory;

a processor;

a first computer program stored in the memory for generating a menu of user-selectable options responsive to a user's selection of a multilink to a plurality of files; and

a second computer program stored in the memory for appending the first computer program to a file transmitted by the servicing computer.

18. The servicing computer of claim 17, wherein the servicing computer is a server computer.

19. The servicing computer of claim 17, wherein the servicing computer is a proxy computer for relaying a communication between a client computer and a server computer.

20. The servicing computer of claim 19, wherein the second computer program is configured to append the first computer program only to files transmitted by the servicing computer which contain a multilink URL.

21. A servicing computer for servicing a request for a file initiated by a client computer connected to the servicing computer by a communications network, the servicing computer comprising:

a memory;

a processor;

a first computer program stored in the memory for generating a menu of user-selectable options responsive to a user's selection of a multilink to a plurality of files; and

a second computer program stored in the memory for embedding a reference to the first computer program to a file transmitted by the servicing computer.

22. The servicing computer of claim 21, wherein the servicing computer is a server computer.

23. The servicing computer of claim 21, wherein the servicing computer is a proxy computer for relaying a communication between a client computer and a server computer.

24. The servicing computer of claim 23, wherein the second computer program is configured to embed a reference

only in files transmitted by the servicing computer which contain a multilink URL.

25. A client computer comprising:

a memory;

a processor;

a first computer program for generating a menu of user-selectable options responsive to a user's selection, at the client computer, of a multilink to a plurality of files; and

a second computer program for requesting a file associated with a user-selected option responsive to a user's selection from the menu of the user-selected option.

26. The client computer of claim 25 wherein the first computer program is appended to a file containing a multilink URL.

27. The client computer of claim 25 wherein a reference to the first computer program is embedded in a file containing a multilink URL.

28. A method of operation of a servicing computer for servicing a request from a client computer for a file stored on the servicing computer, the method comprising the steps of:

(a) appending, to the file requested by the client computer, a computer program for generating a

menu of user-selectable options responsive to a user's selection of a multilink; and

- (b) transmitting the file to the client computer responsive to a request therefor.

29. A method of claim 28, wherein the computer program for generating a menu is appended in step (a) only if the file contains a multilink URL.

30. A method of operation of a servicing computer for servicing a request from a client computer for a file stored on the servicing computer, the method comprising the steps of:

- (a) embedding, in the file requested by the client computer, a reference to a computer program for generating a menu of user-selectable options responsive to a user's selection of a -multilink; and
- (b) transmitting the file to the client computer responsive to a request therefor.

31. The method of claim 30, wherein the computer program for generating a menu is embedded in step (a) only if the file contains a multilink URL.


32. The method of claim 30, wherein the servicing computer stores the computer program for generating a menu.

ABSTRACT OF THE INVENTION

COMPUTER IMPLEMENTED METHOD  
AND APPARATUS FOR PROVIDING A  
LOGICAL POINT OF ACCESS TO ONE OR MORE FILES

5           A method and apparatus for communicating files over a  
communications network in which links to files, such as  
hyperlinks, comprise a multilink. A multilink is a hyperlink  
associated with a plurality of electronic addresses, each  
leading to a different physical file. Selection of a  
multilink results in the generation of a menu of options for  
all of the different files that can be returned to the client  
corresponding to the selected multilink. Selection of an  
option results in returning of the associated file to the  
client.

10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

FIG. 1  
(PRIOR ART)FIG. 2A  
(PRIOR ART)

### NetBlitz Publications

- NetBlitz: A Novel Solution to "World-Wide Wait", S. Acharya, H. Korth and V. Poosala.  
(letter+figures, letter-figures, A4+figures, A4-figures)
- Systematic Multiresolution and Its Application to the WWW, S. Acharya, H. Korth and V. Poosala.  
(letter+figures, letter-figures, A4+figures, A4-figures)
- Using Multiresolution-aware Cache Management to Improve Web Performance, S. Acharya, H. Korth and V. Poosala.  
(letter+figures, letter-figures, A4+figures, A4-figures)

FIG. 2B

### NetBlitz Publications

- |   |                           |  |
|---|---------------------------|--|
| • <u>NetBlitz: A Novel Solution to "World-Wide Wait"</u> , S. Acharya, H. Korth and V. Poosala.<br><u>Multi-link for this paper</u> | Select a version          |  |
| • <u>Systematic Multiresolution</u><br>Poosala.<br>(letter+figures, letter-figures)   | 1. letter+figures<br>• ps | to the WWW, S. Acharya, H. Korth and V. Poosala. |
|   | 2. letter-figures<br>• ps | A4-figures)                                      |
| • <u>Using Multiresolution-aware</u><br>H. Korth and V. Poosala.<br>(letter+figures, letter-figures)                                | 3. A4+figures<br>• ps     | Improve Web Performance, S. Acharya,             |
|   | 4. A4-figures<br>• ps     | A4-figures)                                      |




**FIG. 3**

Select a version

1. letter+figures
  - ps
2. letter-figures
  - ps
3. A4+figures
  - ps
4. A4-figures
  - ps

09328607-060999

FIG. 4



0328607.060999

Express Mail Label No. EL121595872US

IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE

## Declaration and Power of Attorney

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I hereby claim the benefit under Title 35, United States Code, 119(e) of any United States provisional application(s) identified below:

Provisional application No. 60/098,678, filed on September 1, 1998.

I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled **COMPUTER IMPLEMENTED METHOD AND APPARATUS FOR PROVIDING A LOGICAL POINT OF ACCESS TO ONE OR MORE FILES** the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

I acknowledge the duty to disclose all information known to me which is material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

None

I hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

09328607-060999

## Patent

2

Acharya 3-6-8

I hereby appoint the following attorney(s) with full power of substitution and revocation, to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith;

Lester H. Birnbaum	(Reg. No. 25830)
Richard J. Botos	(Reg. No. 32016)
Jeffery J. Brosemer	(Reg. No. 36096)
Kenneth M. Brown	(Reg. No. 37590)
Craig J. Cox	(Reg. No. 39643)
Donald P. Dinella	(Reg. No. 39961)
Guy Eriksen	(Reg. No. 41736)
Martin I. Finston	(Reg. No. 31613)
James H. Fox	(Reg. No. 29379)
William S. Francos	(Reg. No. 38456)
Barry H. Freedman	(Reg. No. 26166)
Julio A. Garceran	(Reg. No. 37138)
Mony R. Ghose	(Reg. No. 38159)
Jimmy Goo	(Reg. No. 36528)
Anthony Grillo	(Reg. No. 36535)
Stephen M. Gurey	(Reg. No. 27336)
John M. Harman	(Reg. No. 38173)
Michael B. Johannesen	(Reg. No. 35557)
Mark A. Kurisko	(Reg. No. 38944)
Irena Lager	(Reg. No. 39260)
Christopher N. Malvone	(Reg. No. 34866)
Scott W. McLellan	(Reg. No. 30776)
Martin G. Meder	(Reg. No. 34674)
John C. Moran	(Reg. No. 30782)
Michael A. Morra	(Reg. No. 28975)
Gregory J. Murgia	(Reg. No. 41209)
Claude R. Narcisse	(Reg. No. 38979)
Joseph J. Opalach	(Reg. No. 36229)
Neil R. Ormos	(Reg. No. 35309)
Eugen E. Pacher	(Reg. No. 29964)
Jack R. Penrod	(Reg. No. 31864)
Daniel J. Piotrowski	(Reg. No. 42079)
Gregory C. Ranieri	(Reg. No. 29695)
Scott J. Rittman	(Reg. No. 39010)
Eugene J. Rosenthal	(Reg. No. 36658)
Bruce S. Schneider	(Reg. No. 27949)
Ronald D. Slusky	(Reg. No. 26585)
David L. Smith	(Reg. No. 30592)
Patricia A. Verlangieri	(Reg. No. 42201)
John P. Veschi	(Reg. No. 39058)
David Volejnick	(Reg. No. 29355)
Charles L. Warren	(Reg. No. 27407)
Jeffrey M. Weinick	(Reg. No. 36304)
Eli Weiss	(Reg. No. 17765)

0660907 0660909

Patent

3

Acharya 3-6-8

I hereby appoint the attorney(s) on ATTACHMENT A as associate attorney(s) in the aforementioned application, with full power solely to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected with the prosecution of said application. No other powers are granted to such associate attorney(s) and such associate attorney(s) are specifically denied any power of substitution or revocation.

Full name of 1<sup>st</sup> joint inventor: **Swarup Acharya**

Inventor's signature



Date

6/7/99


Residence: **32 Southgate Road**  
**New Providence, New Jersey 07974**

Post Office: **32 Southgate Road**  
**New Providence, New Jersey 07974**

Citizenship: **India**

Full name of 2<sup>nd</sup> joint inventor: **Henry F. Korth**

Inventor's signature



Date

6-7-99

Residence: **703 Meadowcreek Circle**  
**Lower Gwynedd, Pennsylvania 19002**

Post Office: **703 Meadowcreek Circle**  
**Lower Gwynedd, Pennsylvania 19002**

Citizenship: **United States**

Full name of 3<sup>rd</sup> joint inventor: **Viswanath Poosala**

Inventor's signature



Date

6-7-99

Residence: **36 Maple Court**  
**Highland Park, New Jersey 08904**

Post Office: **36 Maple Court**  
**Highland Park, New Jersey 08904**

Citizenship: **India**

00328607.060999

**ATTACHMENT A**

John T. Synnestvedt	Reg. No. 18,117
Charles H. Lindrooth	Reg. No. 20,659
Irving Newman	Reg. No. 22,638
Alexis Barron	Reg. No. 22,702
Peter J. Butch, III	Reg. No. 32,203
Joseph F. Posillico	Reg. No. 32,290
Mark D. Simpson	Reg. No. 32,942
Theodore Naccarella	Reg. No. 33,023
Patrick J. Kelly, Ph.D.	Reg. No. 34,638
Gary A. Hecht	Reg. No. 36,826
Stephen J. Driscoll	Reg. No. 37,564
Lisa B. Lane	Reg. No. 38,217
Joshua R. Slavitt	Reg. No. 40,816
John A. Chionchio	Reg. No. 40,954
Gregory S. Bernabeo	Reg. No. 44,032

Telephone calls should be made to Synnestvedt & Lechner LLP at:

Telephone: (215) 923-4466  
Facsimile: (215) 923-2189

All written communications are to be addressed to:

Gregory S. Bernabeo  
Synnestvedt & Lechner LLP  
2600 Aramark Tower  
1101 Market Street  
Philadelphia, PA 19107-2950

09328607-060999